Index of Authors

AB, G. *see* HILL, J. M. 447–453
ALIMOV, G. A. *see* ARCHAKOV, A. I. 1–9
AL-THERIB, M. J. *see* SEILER, N. 29–35
ARCHAKOV, A. I., BACHMANOVA, G. I., DEVICHENSKY, V. M., KARUZINA, I. I., ZHEREBKOVA, N. S., ALIMOV, G. A., KUZNETSOVA, G. P. & Karyakin, A. V. The reconstitution of microsomal redox chains. A comparative analysis of the effectiveness of membrane self-assembly and template-binding of electron carriers 1–9
ASHCROFT, S. J. H. *see* DORMER, R. L. 543–550
ASSAIRI, L., DELOUIS, C., GAYE, P., HOUDEBINE, L.-M., OLLIVIER-BOUSQUET, M. & DENAMUR, R. Inhibition by progesterone of the lactogenic effect of prolactin in the pseudopregnant rabbit 245–252
AYERS, S. E. *see* WOODLAND, H. 11–19

BACHMANOVA, G. I. *see* ARCHAKOV, A. I. 1–9
BAJWA, S. S. & SASTRY, P. S. Degradation of monogalactosyl diglyceride and digalactosyl diglyceride by sheep pancreatic enzymes 177–187
BALLARD, F. J., HOPGOOD, M. F., RESHEF, L., TILGHMAN, S. & HANSON, R. W. Synthesis of phosphoenolpyruvate carboxykinase (guanosine triphosphate) by isolated liver polyribosomes 199–207
BALLARD, F. J. *see also* HOPGOOD, M. F. 371–376
BARRATT, E., BUTTERY, P. J. & BOORMAN, K. N. Urate synthesis in the perfused chick liver 189–198
BARTLEY, W. *see* CRYER, A. 433–434
BOORMAN, K. N. *see* BARRATT, E. 189–198
BRITTON, G. *see* MCDERMOTT, J. C. B. 231–243
BROWN, D. J. *see* MCDERMOTT, J. C. B. 231–243
BROWN, R. H., LORD, J. M. & MERRETT, M. J. Fractionation of the proteins of plant microbodies 559–566
BUTTERY, P. J. *see* BARRATT, E. 189–198
BYGRAVE, F. L. *see* THORNE, R. F. W. 551–558

CAMMACK, R. *see* HASLETT, B. G. 567–572
CANICK, J. A. & VILLEE, D. B. The effect of adrenocorticotrophin on protein degradation in rat adrenal gland and liver 397–402
CHEN, C. & SHAW, Y.-S. Cyclic metabolic pathway of a butylated hydroxytoluene by rat liver microsomal fractions 497–501
COBON, G. S., CROWFOOT, P. D. & LINNANE, A. W. Biogenesis of mitochondria. Phospholipid synthesis *in vitro* by yeast mitochondrial and microsomal fractions 265–275
CRAIG, I. *see* JEFFREYS, A. 161–164
CROWFOOT, P. D. *see* COBON, G. S. 265–275
CRYER, A. & BARTLEY, W. The effect of storage on enzyme activities in tissues 433–434

DAWSON, A. P. Inhibition of mitochondrial phosphate transport by *p*-diazobenzenesulphonate 597–599
DAWSON, R. M. C., HEMINGTON, N., GRIME, D., LANDER, D. & KEMP, P. Lipolysis and hydrogenation of galactolipids and the accumulation of phytanic acid in the rumen 169–171
DAY, H. J. *see* HOLMSEN, H. 385–396
DEAN, A. C. R. *see* HOPE, G. C. 403–411
DELOUIS, C. *see* ASSAIRI, L. 245–252
DENAMUR, R. *see* ASSAIRI, L. 245–252
DEVICHENSKY, V. M. *see* ARCHAKOV, A. I. 1–9
DINTERMAN, R. E. *see* POWANDA, M. C. 173–176
DOONAN, S., KOERNER, D. H., SCHMUTZLER, W. & VERNON, C. A. Inducibility and some properties of the threonine dehydratase of sheep liver 533–541
DORMER, R. L. & ASHCROFT, S. J. H. Studies on the role of calcium ions in the stimulation by adrenaline of amylase release from rat parotid 543–550
DUNCOMBE, W. G. Short-term radiorespirometry of cell suspensions 487–496
DYER, J. A. *see* LEAVER, C. J. 165–167

EATON, M. W. & ELLAR, D. J. Protein synthesis and breakdown in the mother-cell and forespore compartments during spore morphogenesis in *Bacillus megaterium* 327–337
ELLAR, D. J. *see* EATON, M. W. 327–337
EMTAGE, J. S., LAWSON, D. E. M. & KODICEK, E. The response of the small intestine to vitamin D. Correlation between calcium-binding-protein production and increased calcium absorption 339–346
ENWONWU, C. O. & WORTHINGTON, B. S. Concentrations of histamine in brain of guinea pig and rat during dietary protein malnutrition 601–603

FERENCI, T., STROM, T. & QUAYLE, J. R. Purification and properties of 3-hexulose phosphate synthase and phospho-3-hexuloisomerase from *Methylococcus capsulatus* 477–486
FERENCI, T. *see also* STROM, T. 465–476
FORSTNER, G. G. *see* GALAND, G. 281–292, 293–302

GALAND, G. & FORSTNER, G. G. Isolation of microvillus plasma membranes from suckling-rat intestine. The influence of premature induction of digestive enzymes by injection of cortisol acetate 293–302
GALAND, G. & FORSTNER, G. G. Soluble neutral and acid maltases in the suckling-rat intestine. The effect of cortisol and development 281–292
GAYE, P. *see* ASSAIRI, L. 245–252
GIBBONS, G. F. The metabolic sequence by which some 4,4-dimethyl sterols are converted into cholesterol 59–60
GOLDSTEIN, S. *see* HASLAM, R. J. 253–263
GOODWIN, T. W. *see* MCDERMOTT, J. C. B. 231–243
GOWER, D. B. *see* SAAT, Y. A. 347–352
GRANT, M. E. *see* HARWOOD, R. 123–130
GRIME, D. *see* DAWSON, R. M. C. 169–171
GUSTAFSSON, J.-Å. Androgen responsiveness of the liver of the developing rat 225–229

HADDOCK, B. A. *see* POOLE, R. K. 77–85
HANSON, R. W. *see* BALLARD, F. J. 199–207; OGATA, K. 49–57
HARRISON, F. A. *see* SAAT, Y. A. 347–352
HARWOOD, R., GRANT, M. E. & JACKSON, D. S. Collagen biosynthesis. Characterization of subcellular fractions from embryonic chick fibroblasts and the intracellular localization of protocollagen prolyl and protocollagen lysyl hydroxylases 123–130

HASLAM, R. J. & GOLDSTEIN, S. Adenosine 3′:5′-cyclic monophosphate in young and senescent human fibroblasts during growth and stationary phase *in vitro*. Effects of prostaglandin E_1 and of adrenaline 253–263
HASLETT, B. G. & CAMMACK, R. The development of plastocyanin in greening bean leaves 567–572
HEAP, R. B. *see* SAAT, Y. A. 347–352
HEENAN, M. P. & SMITH, J. N. Water-soluble metabolites of *p*-nitrophenol and 1-naphthyl *N*-methylcarbamate in flies and grass grubs. Formation of glucose phosphate and phosphate conjugates 303–310
HEINONEN, K. & RÄIHÄ, N. C. R. Induction of cystathionase in human foetal liver 607–609
HEMINGTON, N. *see* DAWSON, R. M. C. 169–171
HERBRANDSON, G. D. *see* POWANDA, M. C. 173–176
HILL, J. M., AB, G. & MALT, R. A. Ribonucleic acid labelling and nucleotide pools during compensatory renal hypertrophy 447–453
HOLMSEN, H., SETKOWSKY, C. A. & DAY, H. J. Effects of antimycin and 2-deoxyglucose on adenine nucleotides in human platelets. Role of metabolic adenosine triphosphate in primary aggregation, secondary aggregation and shape change of platelets 385–396
HOPE, G. C. & DEAN, A. C. R. Pullulanase synthesis in *Klebsiella* (*Aerobacter*) *aerogenes* strains growing in continuous culture 403–411
HOPGOOD, M. F. & BALLARD, F. J. The relative stability of liver cytosol enzymes incubated *in vitro* 371–376
HOPGOOD, M. F. *see also* BALLARD, F. J. 199–207
HOUDEBINE, L.-M. *see* ASSAIRI, L. 245–252

ILLINGWORTH, J. A. *see* TURNER, A. J. 353–360
IRVING, R. A. *see* MAINWARING, W. I. P. 413–426

JACKSON, D. S. *see* HARWOOD, R. 123–130
JEFFREYS, A. & CRAIG, I. Differences in the products of mitochondrial protein synthesis *in vivo* in human and mouse cells and their potential use as markers for the mitochondrial genome in human–mouse somatic cell hybrids 161–164
JOMAIN-BAUM, M. *see* OGATA, K. 49–57
JONES, D. A. *see* MAINWARING, W. I. P. 413–426

KARUZINA, I. I. *see* ARCHAKOV, A. I. 1–9
KARYAKIN, A. V. *see* ARCHAKOV, A. I. 1–9
KEMP, P. *see* DAWSON, R. M. C. 169–171
KIVIRIKKO, K. I. *see* RISTELI, J. 115–122
KODICEK, E. *see* EMTAGE, J. S. 339–346
KOERNER, D. H. *see* DOONAN, S. 533–541
KOSSOROTOW, A., WOLF, H. U. & SEILER, N. Regulatory effects of polyamines on membrane-bound acetylcholinesterase 21–27
KUZNETSOVA, G. P. *see* ARCHAKOV, A. I. 1–9

LANDER, D. *see* DAWSON, R. M. C. 169–171
LAWSON, D. E. M. & WILSON, P. W. Intranuclear localization and receptor proteins for 1,25-dihydroxycholecalciferol in chick intestine 573–583
LAWSON, D. E. M. *see also* EMTAGE, J. S. 339–346
LEAVER, C. J. & DYER, J. A. Caution in the interpretation of plant ribosome studies 165–167
LINNANE, A. W. *see* COBON, G. S. 265–275
LLOYD, D. *see* POOLE, R. K. 141–148
LORD, J. M. *see* BROWN, R. H. 559–566

LOTLIKAR, P. D. & ZALESKI, K. Inhibitory effect of carbon monoxide on the *N*- and ring-hydroxylation of 2-acetamidofluorene by hamster hepatic microsomal preparations 427–430

MAINWARING, W. I. P., MANGAN, F. R., IRVING, R. A. & JONES, D. A. Specific changes in the messenger ribonucleic acid content of the rat ventral prostate gland after androgenic stimulation. Evidence from the synthesis of aldolase messenger ribonucleic acid 413–426
MALT, R. A. *see* HILL, J. M. 447–453
MANGAN, F. R. *see* MAINWARING, W. I. P. 413–426
MASSART-LEËN, A.-M. *see* ROETS, E. 435–446
MCDERMOTT, J. C. B., BROWN, D. J., BRITTON, G. & GOODWIN, T. W. Alternative pathways of zeaxanthin biosynthesis in a *Flavobacterium* species. Experiments with nicotine as inhibitor 231–243
MCFARLANE, E. S. A study of various changes in transfer ribonucleic acid methylase activity during adenovirus-12 transformation *in vitro* 277–280
MCILWAIN, H. *see* PULL, I. 37–41
MERRETT, M. J. *see* BROWN, R. H. 559–566
MICKLEM, K. J. *see* PASTERNAK, C. A. 593–595
MIDGLEY, J. E. M. & SMITH, R. J. Early changes in the messenger ribonucleic acid concentration of amino acid-starved cells of *Escherichia coli* are not dependent on the state of the *rel* gene 605–606
MILLER, H. M., SULLIVAN, P. A. & SHEPHERD, M. G. Intracellular protein breakdown in thermophilic and mesophilic fungi 209–214
MINAKAMI, S. *see* YASUKOCHI, Y. 455–464
MITCHELL, P. *see* WEST, I. C. 87–90
MORGAN, E. H. *see* YEOH, G. C. T. 215–224
MORRIS, J. G. *see* ROBSON, R. L. 503–511, 513–517
MURPHY, G. & WALKER, D. G. Enzyme synthesis in the regulation of hepatic 'malic' enzyme activity 149–160

NAKAMURA, M. *see* YASUKOCHI, Y. 455–464

OGATA, K., JOMAIN-BAUM, M. & HANSON, R. W. Phenethylbiguanide and the inhibition of hepatic gluconeogenesis in the guinea pig 49–57
OLLIVIER-BOUSQUET, M. *see* ASSAIRI, L. 245–252
ORD, M. G. *see* THROWER, S. 361–369
OVERTON, K. H. & ROBERTS, F. M. Biosynthesis of *trans*, *trans*- and *cis*,*trans*-farnesols by soluble enzymes from tissue cultures of *Andrographis paniculata* 585–592

PASTERNAK, C. A. & MICKLEM, K. J. Virally mediated membrane changes: inverse effects on transport and diffusion 593–595
PATEL, M. S. Inhibition by the branched-chain 2-oxo acids of the 2-oxoglutarate dehydrogenase complex in developing rat and human brain 91–97
PEETERS, G. *see* ROETS, E. 435–446
PHILLIPS, J. H. Steady-state kinetics of catecholamine transport by chromaffin-granule 'ghosts' 319–325
PHILLIPS, J. H. Transport of catecholamines by resealed chromaffin-granule 'ghosts' 311–318
POOLE, R. K. & HADDOCK, B. A. Energy-linked reduction of nicotinamide–adenine dinucleotide in membranes derived from normal and various respiratory-deficient mutant strains of *Escherichia coli* K12 77–85

POOLE, R. K. & LLOYD, D. Changes in respiratory activities during the cell-cycle of the fission yeast *Schizosaccharomyces pombe* 972h⁻ growing in the presence of glycerol 141–148
POWANDA, M. C., DINTERMAN, R. E., WANNEMACHER, R. W., Jr. & HERBRANDSON, G. D. Distribution and metabolism of phenylalanine and tyrosine during tularaemia in the rat 173–176
PRATT, G. E. *see* TOBE, S. S. 107–113
PULL, I. & MCILWAIN, H. Rat cerebral-cortex adenosine deaminase activity and its subcellular distribution 37–41

QUAYLE, J. R. *see* FERENCI, T. 477–486; STRØM, T. 465–476

RÄIHÄ, N. C. R. *see* HEINONEN, K. 607–609
REEVES, R. E. *see* SERRANO, R. 43–48
RESHEF, L. *see* BALLARD, F. J. 199–207
RISTELI, J. & KIVIRIKKO, K. I. Activities of prolyl hydroxylase, lysyl hydroxylase, collagen galactosyltransferase and collagen glucosyltransferase in the liver of rats with hepatic injury 115–122
ROBERTS, F. M. *see* OVERTON, K. H. 585–592
ROBSON, R. L. & MORRIS, J. G. Mobilization of granulose in *Clostridium pasteurianum*. Purification and properties of granulose phosphorylase 513–517
ROBSON, R. L., ROBSON, R. M. & MORRIS, J. G. The biosynthesis of granulose by *Clostridium pasteurianum* 503–511
ROBSON, R. M. *see* ROBSON, R. L. 503–511
ROETS, E., VERBEKE, R., MASSART-LEËN, A.-M. & PEETERS, G. Metabolism of [^{14}C]citrulline in the perfused sheep and goat udder 435–446
RUSSELL, S. L. & THOMAS, G. H. Oestradiol uptake and retention, and high-affinity binding sites in cultured rabbit uterus 99–106

SAAT, Y A., GOWER, D. B., HARRISON, F. A. & HEAP, R. B. Studies on the metabolism of 5α-androst-16-en-3-one in boar testis *in vivo* 347–352
SAITO, K. Possible site of flavonoid synthesis in the photosynthetic apparatus 431–432
SARGENT, J. R. & THOMSON, A. J. The nature and properties of the inducible sodium-plus-potassium ion-dependent adenosine triphosphatase in the gills of eels (*Anguilla anguilla*) adapted to fresh water and sea water 69–75
SASTRY, P. S. *see* BAJWA, S. S. 177–187
SCHMUTZLER, W. *see* DOONAN, S. 533–541
SEILER, N. & AL-THERIB, M. J. Putrescine catabolism in mammalian brain 29–35
SEILER, N. *see also* KOSSOROTOW, A. 21–27
SERRANO, R. & REEVES, R. E. Glucose transport in *Entamoeba histolytica* 43–48
SETKOWSKY, C. A. *see* HOLMSEN, H. 385–396
SHAW, Y.-S. *see* CHEN, C. 497–501
SHEPHERD, M. G. *see* MILLER, H. M. 209–214
SINGHAL, R. L. *see* TSANG, B. K. 377–383
SISSONS, C. H. Yeast protein synthesis. Preparation and analysis of a highly active cell-free system 131–140
SMITH, J. N. *see* HEENAN, M. P. 303–310
SMITH, R. J. *see* MIDGLEY, J. E. M. 605–606
SNELL, K. & WALKER, D. G. Regulation of hepatic L-serine dehydratase and L-serine–pyruvate aminotransferase in the developing neonatal rat 519–531
STRØM, T., FERENCI, T. & QUAYLE, J. R. The carbon assimilation pathways of *Methylococcus capsulatus*, *Pseudomonas methanica* and *Methylosinus trichosporium* (OB3B) during growth on methane 465–476
STRØM, T. *see also* FERENCI, T. 477–486
SULLIVAN, P. A. *see* MILLER, H. M. 209–214

THOMAS, G. H. *see* RUSSELL, S. L. 99–106
THOMSON, A. J. *see* SARGENT, J. R. 69–75
THORNE, R. F. W. & BYGRAVE, F. L. The role of mitochondria in modifying the cellular ionic environment. Calcium-induced respiratory activities in mitochondria isolated from various tumour cells 551–558
THROWER, S. & ORD, M. G. Hormonal control of liver regeneration 361–369
TILGHMAN, S. *see* BALLARD, F. J. 199–207
TIPTON, K. F. *see* TURNER, A. J. 353–360
TOBE, S. S. & PRATT, G. E. The influence of substrate concentrations on the rate of insect juvenile hormone biosynthesis by corpora allata of the desert locust *in vitro* 107–113
TSANG, B. K. & SINGHAL, R. L. A study of 3′:5′-cyclic mononucleotide-dependent protein kinase from canine prostate glands 377–383
TURNER, A. J., ILLINGWORTH, J. A. & TIPTON, K. F. Simulation of biogenic amine metabolism in the brain 353–360

VERBEKE, R. *see* ROETS, E. 435–446
VERNON, C. A. *see* DOONAN, S. 533–541
VILLEE, D. B. *see* CANICK, J. A. 397–402

WALKER, D. G. *see* MURPHY, G. 149–160; SNELL, K. 519–531
WANNEMACHER, R. W. Jr. *see* POWANDA, M. C. 173–176
WEST, I. C. & MITCHELL, P. Proton/sodium ion antiport in *Escherichia coli* 87–90
WILSON, P. W. *see* LAWSON, D. E. M. 573–583
WOLF, H. U. *see* KOSSOROTOW, A. 21–27
WOODLAND, H. & AYERS, S. E. Effects on protein synthesis of injecting synthetic polyribonucleotides into living cells 11–19
WORTHINGTON, B. S. *see* ENWONWU, C. O. 601–603

YASUKOCHI, Y., NAKAMURA, M. & MINAKAMI, S. Effect of cobalt on the synthesis and degradation of hepatic catalase *in vivo* 455–464
YEOH, G. C. T. & MORGAN, E. H. Albumin and transferrin synthesis during development in the rat 215–224

ZALESKI, K. *see* LOTLIKAR, P. D. 427–430
ZHEREBKOVA, N. S. *see* ARCHAKOV, A. I. 1–9

Index of Subjects

Acetaldehyde, effects of, on the metabolism of biogenic amines in pig brain (Turner, A. J., Illingworth, J. A. & Tipton, K. F.) 353–360

2-Acetamidofluorene, inhibitory effects of carbon monoxide on the *N*- and ring-hydroxylation of, by hamster liver microsomal fraction (Lotlikar, P. D. & Zaleski, K.) 427–430

Acetate, incorporation of, into quercetin by chloroplasts isolated from buckwheat seedlings (Saito, K.) 431–432

N-Acetyl-4-aminobutyrate, identification of, as an intermediate in the catabolism of putrescine in rat and mouse brain (Seiler, N. & Al-Therib, M. J.) 29–35

Acetylcholinesterase, membrane-bound, erythrocyte-'ghost', human, regulatory effects of polyamines on the activity of (Kossorotow, A., Wolf, H. U. & Seiler, N.) 21–27

Acid maltase, *see* Maltase, acid

Acyl ester hydrolases, degradation of monogalactosyl diglyceride and digalactosyl diglyceride by, in a saline extract of sheep pancreas acetone-dried powder (Bajwa, S. S. & Sastry, P. S.) 177–187

Adenine nucleotides, effects of antimycin A and 2-deoxy-D-glucose on, in relation to the role of metabolic adenosine triphosphate in primary aggregation, secondary aggregation and shape change of human platelets (Holmsen, H., Setkowsky, C. A. & Day, H. J.) 385–396

Adenosine 3′:5′-cyclic monophosphate, 6-*N*,2′-*O*-dibutyryl-, induction by, of cystathionase in human foetal liver (Heinonen, K. & Räihä, N. C. R.) 607–609

Adenosine 3′:5′-cyclic monophosphate, effect of, on the biosynthesis of phosphoenolpyruvate carboxykinase (guanosine triphosphate) by isolated rat liver polyribosomes (Ballard, F. J., Hopgood, M. F., Reshef, L., Tilghman, S. & Hanson, R. W.) 199–207

Adenosine 3′:5′-cyclic monophosphate, effects of prostaglandin E_1 and adrenaline on the concentration of, in young and senescent cultured human skin fibroblasts during growth and stationary phase *in vitro* (Haslam, R. J. & Goldstein, S.) 253–263

Adenosine 3′:5′-cyclic monophosphate, production of, and the hormonal control of the regeneration of rat liver after partial hepatectomy (Thrower, S. & Ord, M. G.) 361–369

Adenosine deaminase, activities and subcellular distributions of lactate dehydrogenase and, in rat cerebral cortex (Pull, I. & McIlwain, H.) 37–41

Adenosine triphosphatase, sodium-plus-potassium ion-dependent, inducible, nature and properties of, in the gills of eels adapted to fresh water and to sea water (Sargent, J. R. & Thomson, A. J.) 69–75

Adenosine triphosphate, metabolic, effects of antimycin A and 2-deoxy-D-glucose on adenine nucleotides in relation to the role of, in primary aggregation, secondary aggregation and shape change of human platelets (Holmsen, H., Setkowsky, C. A. & Day, H. J.) 385–396

Adenovirus-12, changes in the activity of transfer ribonucleic acid methylase during the transformation of cultured mammalian cells by, *in vitro* (McFarlane, E. S.) 277–280

Adrenal-gland medulla, ox, steady-state kinetics of the transport of catecholamines by resealed 'ghosts' of chromaffin granules from (Phillips, J. H.) 319–325

Adrenal-gland medulla, ox, transport of catecholamines by resealed 'ghosts' of chromaffin granules from (Phillips, J. H.) 311–318

Adrenal gland, rat, effects of adrenocorticotrophin on the degradation of protein in, and liver (Canick, J. A. & Villee, D .B.) 397–402

Adrenaline, effects of, on the concentration of adenosine 3′:5′-cyclic monophosphate in young and senescent cultured human skin fibroblasts during growth and stationary phase *in vitro* (Haslam, R. J. & Goldstein, S.) 253–263

Adrenaline, role of calcium ions in the stimulation by, of the release of amylase from rat parotid gland (Dormer, R. L. & Ashcroft, S. J. H.) 543–550

Adrenaline, steady-state kinetics of the transport of noradrenaline and, by resealed ox adrenal-gland-medulla chromaffin-granule 'ghosts' (Phillips, J. H.) 319–325

Adrenaline, transport of noradrenaline and, by resealed ox adrenal-gland-medulla chromaffin-granule 'ghosts' (Phillips, J. H.) 311–318

Adrenocorticotrophin, effects of, on the degradation of protein in rat adrenal gland and liver (Canick, J. A. & Villee, D. B.) 397–402

Aerobacter aerogenes, *see Klebsiella aerogenes*

Albumin, serum, biosynthesis of transferrin and, during foetal and perinatal development in the rat (Yeoh, G. C. T. & Morgan, E. H.) 215–224

Aldolase, *see* Fructose diphosphate aldolase

Amino acids, biosynthesis of urate from excess of, in perfused chick liver (Barratt, E., Buttery, P. J. & Boorman, K. N.) 189–198

Amino acids, demonstration that early changes in the concentration of messenger ribonucleic acid in cells of *Escherichia coli* starved of, are not dependent on the state of the *rel* gene (Midgley, J. E. M. & Smith, R. J.) 605–606

4-Aminobutyrate, identification of, as an intermediate in the catabolism of putrescine in rat and mouse brain (Seiler, N. & Al-Therib, M. J.) 29–35

5-Aminolaevulinate, effect of the administration of cobalt ions on the incorporation of, into catalase in rat liver *in vivo* (Yasukochi, Y., Nakamura, M. & Minakami, S.) 455–464

Amylase, role of calcium ions in the stimulation by adrenaline of the release of, from rat parotid gland (Dormer, R. L. & Ashcroft, S. J. H.) 543–550

Amylomaltase, biosynthesis of pullulanase, α-glucosidase and, in various strains of *Klebsiella aerogenes* growing in continuous culture (Hope, G. C. & Dean, A. C. R.) 403–411

Androgens, changes in the responsiveness to, of the activities towards 5α-androstane-3α,17β-diol of rat liver microsomal hydroxylases during postnatal development (Gustafsson, J.-Å). 225–229

Androgens, specific stimulation by, of the biosynthesis of the messenger ribonucleic acid for fructose diphosphate aldolase in rat ventral prostate gland (Mainwaring, W. I. P., Mangan, F. R., Irving, R. A. & Jones, D. A.) 413–426

Andrographis paniculata callus tissue, cultured, biosynthesis of *trans,trans-* and *cis,trans*-farnesols by soluble enzymes from (Overton, K. H. & Roberts, F. M.) 585–592

5α-Androstane-3α,17β-diol, changes in the responsiveness to androgens of the activities of rat liver microsomal hydroxylases towards, during postnatal development (Gustafsson, J.-Å.) 225–229

5α-Androst-16-en-3-one, metabolism of, in boar testis *in vivo* (Saat, Y. A., Gower, D. B., Harrison, F. A. & Heap, R. B.) 347–352

Anguilla anguilla, *see* Eel

Aspergillus fumigatus, intracellular breakdown of protein in, and other fungi (Miller, H. M., Sullivan, P. A. & Shepherd, M. G.) 209–214

Aspergillus oryzae N.R.R.L. 695, intracellular breakdown of protein in, and other fungi (Miller, H. M., Sullivan, P. A. & Shepherd, M. G.) 209–214

Bacillus megaterium KM, biosynthesis and breakdown of protein in the mother-cell and forespore compartments during sporulation in (Eaton, M. W. & Ellar, D. J.) 327–337

Bean (*Phaseolus vulgaris*) leaves, greening, development of plastocyanin in (Haslett, B. G. & Cammack, R.) 567–572

Blood platelets, human, effects of antimycin A and 2-deoxy-D-glucose on adenine nucleotides in relation to the role of metabolic adenosine triphosphate in primary aggregation, secondary aggregation and shape change of (Holmsen, H., Setkowsky, C. A. & Day, H. J.) 385–396

Blowfly (*Lucilia sericata*), identification of water-soluble metabolites of 1-naphthyl *N*-methylcarbamate in (Heenan, M. P. & Smith, J. N.) 303–310

Brain cells, rat, short-term radiorespirometry of, in suspension (Duncombe, W. G.) 487–496

Brain cortex, rat, activities and subcellular distributions of adenosine deaminase and lactate dehydrogenase in (Pull, I. & McIlwain, H.) 37–41

Brain, guinea-pig and rat, concentrations of histamine in, during dietary protein malnutrition (Enwonwu, C. O. & Worthington, B. S.) 601–603

Brain, pig, simulation of the metabolism of biogenic amines in (Turner, A. J., Illingworth, J. A. & Tipton, K. F.) 353–360

Brain, rat and human, inhibition by branched-chain 2-oxo acids of the activity of the 2-oxoglutarate dehydrogenase complex in, during postnatal development (Patel, M. S.) 91–97

Brain, rat and mouse, catabolism of putrescine in (Seiler, N. & Al-Therib, M. J.) 29–35

Brain, rat, effect of storage on the activities of various enzymes in, and other tissues (Cryer, A. & Bartley, W.) 433–434

Buckwheat (*Fagopyrum esculentum*) seedlings, incorporation of acetate into quercetin by chloroplasts isolated from (Saito, K.) 431–432

Butylated hydroxytoluene, *see* 3,5-Di-t-butyl-4-hydroxytoluene

Calcium-binding protein, correlation between the production of, and the absorption of calcium ions by chick small intestine in response to the administration of cholecalciferol (Emtage, J. S., Lawson, D. E. M. & Kodicek, E.) 339–346

Calcium ions, correlation between the production of calcium-binding protein and the absorption of, by chick small intestine in response to the administration of cholecalciferol (Emtage, J. S., Lawson, D. E. M. & Kodicek, E.) 339–346

Calcium ions, respiratory activities induced by, in mitochondria isolated from various tumour cells (Thorne, R. F. W. & Bygrave, F. L.) 551–558

Calcium ions, role of, in the stimulation by adrenaline of the release of amylase from rat parotid gland (Dormer, R. L. & Ashcroft, S. J. H.) 543–550

Callus tissue, *Andrographis paniculata*, cultured, biosynthesis of *trans,trans-* and *cis,trans*-farnesols by soluble enzymes from (Overton, K. H. & Roberts, F. M.) 585–592

Carbaryl, *see* 1-Naphthyl *N*-methylcarbamate

[^{14}C]Carbon dioxide, collection and measurement of, formed by the oxidation of ^{14}C-labelled substrates during short-term radiorespirometry of various cells in suspension (Duncombe, W. G.) 487–496

Carbon monoxide, inhibitory effects of, on the *N*- and ring-hydroxylation of 2-acetamidofluorene by hamster liver microsomal fraction (Lotlikar, P. D. & Zaleski, K.) 427–430

Carbon tetrachloride, activities of prolyl hydroxylase, lysyl hydroxylase, collagen galactosyltransferase and collagen glucosyltransferase in rat liver after experimental hepatic injury induced by the administration of (Risteli, J. & Kivirikko, K. I.) 115–122

Carotenoids, use of nicotine as an inhibitor in the demonstration of alternative pathways for the biosynthesis of, in *Flavobacterium* R1519 (McDermott, J. C. B., Brown, D. J., Britton, G. & Goodwin, T. W.) 231–243

Castor bean (*Ricinus communis*), fractionation of the proteins of glyoxysomes isolated from (Brown, R. H., Lord, J. M. & Merrett, M. J.) 559–566

Catalase, effect of the administration of cobalt ions on the biosynthesis and degradation of, in rat liver *in vivo* (Yasukochi, Y., Nakamura, M. & Minakami, S.) 455–464

Catecholamines, steady-state kinetics of the transport of, by resealed ox adrenal-gland-medulla chromaffin-granule 'ghosts' (Phillips, J. H.) 319–325

Catecholamines, transport of, by resealed ox adrenal-gland-medulla chromaffin-granule 'ghosts' (Phillips, J. H.) 311–318

Cell-cycle, changes in the activities of components of the respiratory chain during, of *Schizosaccharomyces pombe* 972h$^-$ growing in the presence of glycerol (Poole, R. K. & Lloyd, D.) 141–148

Cells, fibroblast, skin, human, cultured, young and senescent, effects of prostaglandin E_1 and adrenaline on the concentration of adenosine 3′:5′-cyclic monophosphate in, during growth and stationary phase *in vitro* (Haslam, R. J. & Goldstein, S.) 253–263

Cells, kidney, hamster, cultured, changes in the activity of transfer ribonucleic acid methylase during the transformation of, by adenovirus-12 *in vitro* (McFarlane, E. S.) 277–280

Cells, Lettree, inverse effects of Sendai virus on transport and diffusion across the surface membrane of (Pasternak, C. A. & Micklem, K. J.) 593–595

Cells, lung, gerbil, cultured, changes in the activity of transfer ribonucleic acid methylase during the transformation of, by adenovirus-12 *in vitro* (McFarlane, E. S.) 277–280
Cells, somatic, hybrid, human–mouse, differences in the products of the mitochondrial biosynthesis of protein *in vivo* in human and mouse cells and their potential use as markers for the mitochondrial genome in (Jeffreys, A. & Craig, I.) 161–164
Cells, tumour, various, calcium ion-induced respiratory activities in mitochondria isolated from (Thorne, R. F. W. & Bygrave, F. L.) 551–558
Cells, various, short-term radiorespirometry of, in suspension (Duncombe, W. G.) 487–496
Cerebral cortex, rat, activities and subcellular distributions of adenosine deaminase and lactate dehydrogenase in (Pull, I. & McIlwain, H.) 37–41
Chick, biosynthesis of urate in perfused liver from (Barratt, E., Buttery, P. J. & Boorman, K. N.) 189–198
Chick-embryo fibroblasts, characterization of subcellular fractions from, and the intracellular localization of prolyl hydroxylase and lysyl hydroxylase (Harwood, R., Grant, M. E. & Jackson, D. S.) 123–130
Chick, intranuclear localization of and receptor proteins for 1,25-dihydroxycholecalciferol in the intestine of (Lawson, D. E. M. & Wilson, P. W.) 573–583
Chick small intestine, correlation between the production of calcium-binding protein and the absorption of calcium ions by, in response to the administration of cholecalciferol (Emtage, J. S., Lawson, D. E. M. & Kodicek, E.) 339–346
Chlorella pyrenoidosa, short-term radiorespirometry of, in suspension (Duncombe, W. G.) 487–496
Chloroplasts, buckwheat-seedling, isolated, incorporation of acetate into quercetin by (Saito, K.) 431–432
Cholecalciferol, correlation between the production of calcium-binding protein and the absorption of calcium ions by chick small intestine in response to the administration of (Emtage, J. S., Lawson, D. E. M. & Kodicek, E.) 339–346
Cholecalciferol, intranuclear distribution of, and its metabolites in chick intestine (Lawson, D. E. M. & Wilson, P. W.) 573–583
Cholesterol, metabolic sequence by which 4,4-dimethyl sterols are converted into, by rat liver microsomal fractions (Gibbons, G. F.) 59–69
Choline, effect of Sendai virus on the transport of, across the surface membrane of Lettree cells (Pasternak, C. A. & Micklem, K. J.) 593–595
Chromaffin-granule 'ghosts', adrenal-gland-medulla, ox, resealed, steady-state kinetics of the transport of catecholamines by (Phillips, J. H.) 319–325
Chromaffin-granule 'ghosts', adrenal-gland-medulla, ox, resealed, transport of catecholamines by (Phillips, J. H.) 311–318
Citrulline, metabolism of, in perfused lactating sheep and goat mammary gland (Roets, E., Verbeke, R., Massart-Leën, A.-M. & Peeters, G.) 435–446
Clostridium pasteurianum A.T.C.C. 6013, biosynthesis of granulose by (Robson, R. L., Robson, R. M. & Morris, J. G.) 503–511
Clostridium pasteurianum A.T.C.C. 6013, mobilization of granulose in (Robson, R. L. & Morris, J. G.) 513–517
Cobalt ions, effect of the administration of, on the biosynthesis and degradation of catalase in rat liver *in vivo* (Yasukochi, Y., Nakamura, M. & Minakami, S.) 455–464
Collagen, activities of enzymes involved in the biosynthesis of, in rat liver after experimental hepatic injury induced by the administration of carbon tetrachloride (Risteli, J. & Kivirikko, K. I.) 115–122
Collagen galactosyltransferase, activities of, and of other enzymes involved in the biosynthesis of collagen in rat liver after experimental hepatic injury induced by the administration of carbon tetrachloride (Risteli, J. & Kivirikko, K. I.) 115–122
Collagen glucosyltransferase, activities of, and of other enzymes involved in the biosynthesis of collagen in rat liver after experimental hepatic injury induced by the administration of carbon tetrachloride (Risteli, J. & Kivirikko, K. I.) 115–122
Collagen, intracellular localization of enzymes involved in the biosynthesis of, in chick-embryo fibroblasts (Harwood, R., Grant, M. E. & Jackson, D. S.) 123–130
Corpora allata, locust, influence of the concentrations of substrates on the biosynthesis of juvenile hormone by, *in vitro* (Tobe, S. S. & Pratt, G. E.) 107–113
Corticotrophin, *see* Adrenocorticotrophin
Cortisol, effects of the administration of, on the activities of soluble neutral and acid maltase in rat small intestine during postnatal development (Galand, G. & Forstner, G. G.) 281–292
Cortisol, premature induction by the administration of, of the activities of digestive enzymes in microvillus plasma membranes isolated from rat small intestine during postnatal development (Galand, G. & Forstner, G. G.) 293–302
Costelytra zealandica, *see* Grass grub
Cucurbita pepo, *see* Pumpkin
Cyclic adenosine 3′:5′-monophosphate, *see* Adenosine 3′:5′-cyclic monophosphate
Cystathionase, induction of, in human foetal liver (Heinonen, K. & Räihä, N. C. R.) 607–609
Cytochrome *P*-450, inhibitory effects of carbon monoxide and the possible involvement of more than one type of, in the *N*- and ring-hydroxylation of 2-acetamidofluorene by hamster liver microsomal fraction (Lotlikar, P. D. & Zaleski, K.) 427–430
Cytochromes, changes in the activities of, and other components of the respiratory chain during the cell-cycle of *Schizosaccharomyces pombe* 972h⁻ growing in the presence of glycerol (Poole, R. K. & Lloyd, D.) 141–148
Cytosol, liver, rat, relative stability of enzymes of, incubated *in vitro* (Hopgood, M. F. & Ballard, F. J.) 371–376

2-Deoxy-D-glucose, effects of antimycin A and, on adenine nucleotides in relation to the role of metabolic adenosine triphosphate in primary aggregation, secondary aggregation and shape change of human platelets (Holmsen, H., Setkowsky, C. A. & Day, H. J.) 385–396
Development, foetal and perinatal, biosynthesis of serum albumin and transferrin in the rat during (Yeoh, G. C. T. & Morgan, E. H.) 215–224

Development, neonatal, regulation of the activities of L-serine dehydratase and L-serine–pyruvate aminotransferase in rat liver during (Snell, K. & Walker, D. G.) 519–531
Development, postnatal, alterations in the rate of biosynthesis of the enzyme in the regulation of the activity of 'malic' enzyme (EC 1.1.1.40) in rat liver during (Murphy, G. & Walker, D. G.) 149–160
Development, postnatal, changes in the activities of soluble neutral and acid maltases in rat small intestine during, and the effects of the administration of cortisol (Galand, G. & Forstner, G. G.) 281–292
Development, postnatal, changes in the responsiveness to androgens of the activities towards 5α-androstane-3α,17β-diol of rat liver microsomal hydroxylases during (Gustafsson, J.-Å.) 225–229
Development, postnatal, inhibition by branched-chain 2-oxo acids of the activity of the 2-oxoglutarate dehydrogenase complex in rat and human brain during (Patel, M. S.) 91–97
Development, postnatal, premature induction by the administration of cortisol of the activities of digestive enzymes in microvillus plasma membranes isolated from rat small intestine during (Galand, G. & Forstner, G. G.) 293–302
Dexamethasone, induction by, of cystathionase in human foetal liver (Heinonen, K. & Räihä, N. C. R.) 607–609
p-Diazobenzenesulphonate, inhibition by, of the transport of inorganic phosphate by rat liver mitochondria (Dawson, A. P.) 597–599
3,5-Di-t-butyl-4-hydroxytoluene, cyclic pathway for the metabolism of, by rat liver microsomal fraction (Chen, C. & Shaw, Y.-S.) 497–501
6-*N*,2′-*O*-Dibutyryladenosine 3′:5′-cyclic monophosphate, induction by, of cystathionase in human foetal liver (Heinonen, K. & Räihä, N. C. R.) 607–609
Diet, effect of, on the activity of threonine dehydratase in sheep liver (Doonan, S., Koerner, D. H., Schmutzler, W. & Vernon, C. A.) 533–541
Diet, protein-deficient, concentrations of histamine in guinea-pig and rat brain in animals fed on (Enwonwu, C. O. & Worthington, B. S.) 601–603
Digalactosyl diglyceride, enzymic degradation of monogalactosyl diglyceride and, by a saline extract of sheep pancreas acetone-dried powder (Bajwa, S. S. & Sastry, P. S.) 177–187
Digestion, premature induction by the administration of cortisol of the activities of enzymes involved in, in microvillus plasma membranes isolated from rat small intestine during postnatal development (Galand, G. & Forstner, G. G.) 293–302
Diglycerides, galactosyl, enzymic degradation of, by a saline extract of sheep pancreas acetone-dried powder (Bajwa, S. S. & Sastry, P. S.) 177–187
Dihydrolanosterol, effectiveness of, as a precursor for the biosynthesis of cholesterol by rat liver microsomal fractions (Gibbons, G. F.) 59–69
1,25-Dihydroxycholecalciferol, intranuclear localization of and receptor proteins for, in chick intestine (Lawson, D. E. M. & Wilson, P. W.) 573–583
3,4-Dihydroxyphenethylamine (dopamine), simulation of the metabolism of, and other biogenic amines in pig brain (Turner, A. J., Illingworth, J. A. & Tipton, K. F.) 353–360
4,4-Dimethylcholesta-8,14-dienol, effectiveness of, as a precursor for the biosynthesis of cholesterol by rat liver microsomal fractions (Gibbons, G. F.) 59–69
4,4-Dimethyl sterols, metabolic sequence by which, are converted into cholesterol by rat liver microsomal fractions (Gibbons, G. F.) 59–69
Dopamine (3,4-dihydroxyphenethylamine), simulation of the metabolism of, and other biogenic amines in pig brain (Turner, A. J., Illingworth, J. A. & Tipton, K. F.) 353–360

Eel (*Anguilla anguilla*), nature and properties of the inducible sodium-plus-potassium ion-dependent adenosine triphosphatase in the gills of, adapted to fresh water and to sea water (Sargent, J. R. & Thomson, A. J.) 69–75
Eggs, *Xenopus laevis*, effects of the injection of synthetic polyribonucleotides on the biosynthesis of protein in, and oocytes (Woodland, H. & Ayers, S. E.) 11–19
Ehrlich ascites-tumour cells, calcium ion-induced respiratory activities in mitochondria isolated from (Thorne, R. F. W. & Bygrave, F. L.) 551–558
Electron-transfer chains, microsomal, liver, rat, comparative analysis of the effectiveness of self-assembly of microsomal membranes and of incorporation of electron carriers into microsomal-vesicle 'ghosts' for the reconstitution of (Archakov, A. I., Bachmanova, G. I., Devichensky, V. M., Karuzina, I. I., Zherebkova, N. S., Alimov, G. A., Kuznetsova, G. P. & Karyakin, A. V.) 1–9
Electron-transport particles, *Escherichia coli* K12 energy-linked reduction of nicotinamide–adenine, dinucleotide in, from normal and respiratory-deficient strains of the organism (Poole, R. K. & Haddock, B. A.) 77–85
Entamoeba histolytica, transport of glucose in (Serrano, R. & Reeves, R. E.) 43–48
Enzymes, digestive, premature induction by the administration of cortisol of the activities of, in microvillus plasma membranes isolated from rat small intestine during postnatal development (Galand, G. & Forstner, G. G.) 293–302
Enzymes, effect of storage on the activities of, in various rat tissues (Cryer, A. & Bartley, W.) 433–434
Epinephrine, *see* Adrenaline
Erythrocyte 'ghosts', human, regulatory effects of polyamines on the activity of membrane-bound acetylcholinesterase of (Kossorotow, A., Wolf, H. U. & Seiler, N.) 21–27
Escherichia coli, antiport of protons and sodium ions in (West, I. C. & Mitchell, P.) 87–90
Escherichia coli, demonstration that early changes in the concentration of messenger ribonucleic acid in amino acid-starved cells of, are not dependent on the state of the *rel* gene (Midgley, J. E. M. & Smith, R. J.) 605–606
Escherichia coli K12, energy-linked reduction of oxidized nicotinamide–adenine dinucleotide in membranes from normal and respiratory-deficient strains of (Poole, R. K. & Haddock, B. A.) 77–85
Escherichia coli, short-term radiorespirometry of, in suspension (Duncombe, W. G.) 487–496
Estradiol, *see* Oestradiol

Ethanol, effects of, on the metabolism of biogenic amine, in pig brain (Turner, A. J., Illingworth, J. A. & Tipton, K. F.) 353–360

Fagopyrum esculentum, *see* Buckwheat
Farnesinate, influence of the concentrations of, and other substrates on the biosynthesis of juvenile hormone by locust corpora allata *in vitro* (Tobe, S. S. & Pratt, G. E.) 107–113
trans,trans- and *cis,trans*-Farnesols, biosynthesis of, by soluble enzymes from cultured *Andrographis paniculata* callus tissue (Overton, K. H. & Roberts, F. M.) 585–592
Fibroblasts, chick-embryo, characterization of subcellular fractions from, and the intracellular localization of prolyl hydroxylase and lysyl hydroxylase (Harwood, R., Grant, M. E. & Jackson, D. S.) 123–130
Fibroblasts, skin, human, cultured, young and senescent, effects of prostaglandin E_1 and adrenaline on the concentration of adenosine 3′:5′-cyclic monophosphate in, during growth and stationary phase *in vitro* (Haslam, R. J. & Goldstein, S.) 253–263
Flavobacterium R1519, use of nicotine as an inhibitor in the demonstration of alternative pathways for the biosynthesis of zeaxanthin in (McDermott, J. C. B., Brown, D. J., Britton, G. & Goodwin, T. W.) 231–243
Flavonoids, possible site of the biosynthesis of, in the photosynthetic apparatus of buckwheat seedlings (Saito, K.) 431–432
Formaldehyde, role of the ribulose monophosphate cycle in the fixation of, in methane-utilizing bacteria (Strøm, T., Ferenci, T. & Quayle, J. R.) 465–476
Fructose diphosphate aldolase, relative stability of, and other rat liver cytosol enzymes incubated *in vitro* (Hopgood, M. F. & Ballard, F. J.) 371–376
Fructose diphosphate aldolase, specific stimulation by androgens of the biosynthesis of the messenger ribonucleic acid for, in rat ventral prostate gland (Mainwaring, W. I. P., Mangan, F. R., Irving, R. A. & Jones, D. A.) 413–426
Fungi, thermophilic and mesophilic, intracellular breakdown of protein in (Miller, H. M., Sullivan, P. A. & Shepherd, M. G.) 209–214

Galactolipids, lipolysis and hydrogenation of, and the accumulation of phytanate in sheep rumen (Dawson, R. M. C., Hemington, N., Grime, D., Lander, D. & Kemp, P.) 169–171
Galactosyl diglycerides, enzymic degradation of, by a saline extract of sheep pancreas acetone-dried powder (Bajwa, S. S. & Sastry, P. S.) 177–187
Genome, mitochondrial, differences in the products of the mitochondrial biosynthesis of protein *in vivo* in human and mouse cells and their potential use as markers for, in human–mouse somatic cell hybrids (Jeffreys, A. & Craig, I.) 161–164
Gills, eel, nature and properties of the inducible sodium-plus-potassium ion-dependent adenosine triphosphatase in, of animals adapted to fresh water and to sea water (Sargent, J. R. & Thomson, A. J.) 69–75
Glucagon, control by, and other hormones of the regeneration of rat liver after partial hepatectomy (Thrower, S. & Ord, M. G.) 361–369
Glucagon, induction by, of cystathionase in human foetal liver (Heinonen, K. & Räihä, N. C. R.) 607–609
Glucokinase, relative stability of, and other rat liver cytosol enzymes incubated *in vitro* (Hopgood, M. F. & Ballard, F. J.) 371–376
Gluconeogenesis, inhibition by phenethylbiguanide of, in guinea-pig liver (Ogata, K., Jomain-Baum, M. & Hanson, R. W.) 49–57
Glucose, inhibition by phenethylbiguanide of the formation of, in guinea-pig liver (Ogata, K., Jomain-Baum, M. & Hanson, R. W.) 49–57
Glucose 6-phosphate dehydrogenase, relative stability of, and other rat liver cytosol enzymes incubated *in vitro* (Hopgood, M. F. & Ballard, F. J.) 371–376
Glucose, transport of, in *Entamoeba histolytica* (Serrano, R. & Reeves, R. E.) 43–48
α-Glucosidase, biosynthesis of pullulanase, amylomaltase and, in various strains of *Klebsiella aerogenes* growing in continuous culture (Hope, G. C. & Dean, A. C. R.) 403–411
Glyceraldehyde phosphate dehydrogenase, relative stability of, and other rat liver cytosol enzymes incubated *in vitro* (Hopgood, M. F. & Ballard, F. J.) 371–376
Glycerol, changes in the activities of components of the respiratory chain during the cell-cycle of *Schizosaccharomyces pombe* 972h⁻ growing in the presence of (Poole, R. K. & Lloyd, D.) 141–148
Glycine, effect of the administration of cobalt ions on the incorporation of, into catalase in rat liver *in vivo* (Yasukochi, Y., Nakamura, M. & Minakami, S.) 455–464
Glyoxysomes, pumpkin and castor-bean, fractionation of proteins of (Brown, R. H., Lord, J. M. & Merrett, M. J.) 559–566
Granulose, biosynthesis of, by *Clostridium pasteurianum* A.T.C.C. 6013 (Robson, R. L., Robson, R. M. & Morris, J. G.) 503–511
Granulose, mobilization of, in *Clostridium pasteurianum* A.T.C.C. 6013 (Robson, R. L. & Morris, J. G.) 513–517
Granulose phosphorylase, purification and properties of, from *Clostridium pasteurianum* A.T.C.C. 6013 (Robson, R. L. & Morris, J. G.) 513–517
Grass grub (*Costelytra zealandica*), identification of water-soluble metabolites of 1-naphthyl *N*-methylcarbamate in (Heenan, M. P. & Smith, J. N.) 303–310
Growth hormone, control by, and other hormones of the regeneration of rat liver after partial hepatectomy (Thrower, S. & Ord, M. G.) 361–369

Heart, rat, effect of storage on the activities of various enzymes in, and other tissues (Cryer, A. & Bartley, W.) 433–434
Hepatectomy, partial, hormonal control of the regeneration of rat liver after (Thrower, S. & Ord, M. G.) 361–369
Hepatomas, Morris and Yoshida, calcium ion-induced respiratory activities in mitochondria isolated from (Thorne, R. F. W. & Bygrave, F. L.) 551–558
D-*arabino*-3-Hexulose 6-phosphate, formation of, from formaldehyde and ribulose 5-phosphate catalysed by *Methylococcus capsulatus* 3-hexulose phosphate synthase (Strøm, T., Ferenci, T. & Quayle, J. R.) 465–476

3-Hexulose phosphate isomerase, purification and properties of, from *Methylococcus capsulatus* (Ferenci, T., Strøm, T. & Quayle, J. R.) 477–486
3-Hexulose phosphate synthase, purification and properties of, from *Methylococcus capsulatus* (Ferenci, T., Strøm, T. & Quayle, J. R.) 477–486
Histamine, concentrations of, in guinea-pig and rat brain during dietary protein malnutrition (Enwonwu, C. O. & Worthington, B. S.) 601–603
Histones, phosphorylation of, by dog prostate-gland adenosine 3′:5′-cyclic monophosphate-dependent protein kinase (Tsang, B. K. & Singhal, R. L.) 377–383
Hormone, juvenile, influence of the concentrations of substrates on the biosynthesis of, by locust corpora allata *in vitro* (Tobe, S. S. & Pratt, G. E.) 107–113
Housefly (*Musca domestica*), identification of water-soluble metabolites of *p*-nitrophenol, 1-naphthol and 1-naphthyl *N*-methylcarbamate in (Heenan, M. P. & Smith, J. N.) 303–310
Hydrocortisone, *see* Cortisol
Hydrogen ions, antiport of sodium ions and, in *Escherichia coli* (West, I. C. & Mitchell, P.) 87–90
Hydroxylases, microsomal, liver, rat, changes in the responsiveness to androgens of the activities towards 5α-androstane-3α,17β-diol of, during postnatal development (Gustafsson, J.-Å.) 225–229
5-Hydroxytryptamine, simulation of the metabolism of, and other biogenic amines in pig brain (Turner, A. J., Illingworth, J. A. & Tipton, K. F.) 353–360
5-Hydroxytryptamine, steady-state kinetics of the transport of catecholamines and, by resealed ox adrenal-gland-medulla chromaffin-granule 'ghosts' (Phillips, J. H.) 319–325

Injury, hepatic, experimental, activities of prolyl hydroxylase, lysyl hydroxylase, collagen galactosyltransferase and collagen glucosyltransferase after, induced by the administration of carbon tetrachloride (Risteli, J. & Kivirikko, K. I.) 115–122
Insulin, effect of, on the biosynthesis of urate in perfused chick liver (Barratt, E., Buttery, P. J. & Boorman, K. N.) 189–198
Intestine, chick, intranuclear localization of and receptor proteins for 1,25-dihydroxycholecalciferol in (Lawson, D. E. M. & Wilson, P. W.) 573–583
Intestine, small, chick, correlation between the production of calcium-binding protein and the absorption of calcium ions by, in response to the administration of cholecalciferol (Emtage, J. S., Lawson, D. E. M. & Kodicek, E.) 339–346
Intestine, small, rat, changes in the activities of soluble neutral and acid maltases in, during postnatal development and the effects of the administration of cortisol (Galand, G. & Forstner, G. G.) 281–292
Intestine, small, rat, premature induction by the administration of cortisol of the activities of digestive enzymes in microvillus plasma membranes isolated from, during postnatal development (Galand, G. & Forstner, G. G.) 293–302

Juvenile hormone, influence of the concentrations of substrates on the biosynthesis of, by locust corpora allata *in vitro* (Tobe, S. S. & Pratt, G. E.) 107–113

Kidney cells, baby-hamster, short-term radiorespirometry of, in suspension (Duncombe, W. G.) 487–496
Kidney cells, hamster, cultured, changes in the activity of transfer ribonucleic acid methylase during the transformation of, by adenovirus-12 *in vitro* (McFarlane, E. S.) 277–280
Kidney, mouse, labelling of ribonucleic acids and nucleotide pools after the injection of [5-^{3}H]uridine during compensatory hypertrophy of, after unilateral nephrectomy (Hill, J. M., AB, G. & Malt, R. A.) 447–453
Kidney, rat, effect of storage on the activities of various enzymes in, and other tissues (Cryer, A. & Bartley, W.) 433–434
Klebsiella aerogenes, biosynthesis of pullulanase, amylomaltase and α-glucosidase in various strains of, growing in continuous culture (Hope, G. C. & Dean, A. C. R.) 403–411

Lactate dehydrogenase, activities and subcellular distributions of adenosine deaminase and, in rat cerebral cortex (Pull, I. & McIlwain, H.) 37–41
Lactate dehydrogenase, relative stability of, and other enzymes of rat liver cytosol incubated *in vitro* (Hopgood, M. F. & Ballard, F. J.) 371–376
Lactation, metabolism of citrulline in perfused sheep and goat mammary gland during (Roets, E., Verbeke, R., Massart-Leën, A.-M. & Peeters, G.) 435–446
Lactogenesis, inhibition by progesterone of the stimulatory effect of prolactin on, by rabbit mammary gland during pseudopregnancy (Assairi, L., Delouis, C., Gaye, P., Houdebine, L.-M., Ollivier-Bousquet, M. & Denamur, R.) 245–252
Leaves, bean, greening, development of plastocyanin in (Haslett, B. G. & Cammack, R.) 567–572
Leaves, New Zealand spinach, enzymic degradation of galactosyl diglycerides from, by a saline extract of sheep pancreas acetone-dried powder (Bajwa, S. S. & Sastry, P. S.) 177–187
Lettree cells, inverse effects of Sendai virus on transport and diffusion across the surface membrane of (Pasternak, C. A. & Micklem, K. J.) 593–595
Leucine, effect of the administration of cobalt ions on the incorporation of, into catalase in rat liver *in vivo* (Yasukochi, Y., Nakamura, M. & Minakami, S.) 455–464
Leucine, incorporation of, into phosphoenolpyruvate carboxykinase (guanosine triphosphate) by isolated rat liver polyribosomes (Ballard, F. J., Hopgood, M. F., Reshef, L., Tilghman, S. & Hanson, R. W.) 199–207
Leucine, incorporation of, into serum albumin and transferrin during foetal and perinatal development in the rat (Yeoh, G. C. T. & Morgan, E. H.) 215–224
Leukaemia cells, EL4, short-term radiorespirometry of, in suspension (Duncombe, W. G.) 487–496
Light, development of plastocyanin in bean leaves in response to (Haslett, B. G. & Cammack, R.) 567–572
Linolenate moiety, hydrogenation of, after lipolysis of galactolipids, and the accumulation of phytanate in sheep rumen (Dawson, R. M. C., Hemington, N., Grime, D., Lander, D. & Kemp, P.) 169–171
Liver cells, rat, short-term radiorespirometry of, in suspension (Duncombe, W. G.) 487–496
Liver, chick, perfused, biosynthesis of urate in (Barratt, E., Buttery, P. J. & Boorman, K. N.) 189–198

Liver, distribution and metabolism of phenylalanine and tyrosine in skeletal muscle and, during tularaemia in the rat (Powanda, M. C., Dinterman, R. E., Wannemacher, R. W., Jr. & Herbrandson, G. D.) 173–176
Liver, guinea-pig, inhibition by phenethylbiguanide of gluconeogenesis in (Ogata, K., Jomain-Baum, M. & Hanson, R. W.) 49–57
Liver, hamster, inhibitory effects of carbon monoxide on the *N*- and ring-hydroxylation of 2-acetamidofluorene by the microsomal fraction of (Lotlikar, P. D. & Zaleski, K.) 427–430
Liver, human, foetal, induction of cystathionase in (Heinonen, K. & Räihä, N. C. R.) 607–609
Liver, rat, activities of prolyl hydroxylase, lysyl hydroxylase, collagen galactosyltransferase and collagen glucosyltransferase in, after experimental hepatic injury induced by the administration of carbon tetrachloride (Risteli, J. & Kivirikko, K. I.) 115–122
Liver, rat, alterations in the rate of biosynthesis of the enzyme in the regulation of the activity of 'malic' enzyme (EC 1.1.1.40) in (Murphy, G. & Walker, D. G.) 149–160
Liver, rat, biosynthesis of phosphoenolpyruvate carboxykinase (guanosine triphosphate) by polyribosomes isolated from (Ballard, F. J., Hopgood, M. F., Reshef, L., Tilghman, S. & Hanson, R. W.) 199–207
Liver, rat, biosynthesis of serum albumin and transferrin in, during foetal and perinatal development (Yeoh, G. C. T. & Morgan, E. H.) 215–224
Liver, rat, calcium ion-induced respiratory activities in mitochondria isolated from, and various hepatomas (Thorne, R. F. W. & Bygrave, F. L.) 551–558
Liver, rat, changes in the responsiveness to androgens of the activities towards 5α-androstane-3α,17β-diol of hydroxylases of the microsomal fraction of, during postnatal development (Gustafsson, J.-Å.) 225–229
Liver, rat, comparative analysis of the effectiveness of self-assembly of microsomal membranes and of incorporation of electron carriers into microsomal-vesicle 'ghosts' for the reconstitution of the electron-transfer chains of microsomal membranes from (Archakov, A. I., Bachmanova, G. I., Devichensky, V. M., Karuzina, I. I., Zherebkova, N. S., Alimov, G. A., Kuznetsova, G. P. & Karyakin, A. V.) 1–9
Liver, rat, cyclic pathway for the metabolism of 3,5-di-t-butyl-4-hydroxytoluene by microsomal fraction of (Chen, C. & Shaw, Y.-S.) 497–501
Liver, rat, effect of storage on the activities of various enzymes in, and other tissues (Cryer, A. & Bartley, W.) 433–434
Liver, rat, effect of the administration of cobalt ions on the biosynthesis and degradation of catalase in, *in vivo* (Yasukochi, Y., Nakamura, M. & Minakami, S.) 455–464
Liver, rat, effects of adrenocorticotrophin on the degradation of protein in, and adrenal gland (Canick, J. A. & Villee, D. B.) 397–402
Liver, rat, hormonal control of the regeneration of, after partial hepatectomy (Thrower, S. & Ord, M. G.) 361–369
Liver, rat, inhibition by *p*-diazobenzenesulphonate of the transport of inorganic phosphate by mitochondria from (Dawson, A. P.) 597–599
Liver, rat, metabolic sequence by which 4,4-dimethyl sterols are converted into cholesterol by microsomal fractions from (Gibbons, G. F.) 59–69
Liver, rat, regulation of the activities of L-serine dehydratase and L-serine–pyruvate aminotransferase in, during neonatal development (Snell, K. & Walker, D. G.) 519–531
Liver, rat, relative stability of enzymes of the cytosol fraction of, incubated *in vitro* (Hopgood, M. F. & Ballard, F. J.) 371–376
Liver, sheep, inducibility and properties of threonine dehydratase of (Doonan, S., Koerner, D. H., Schmutzler, W. & Vernon, C. A.) 533–541
Locust (*Schistocerca gregaria*), influence of the concentrations of substrates on the biosynthesis of juvenile hormone by corpora allata of, *in vitro* (Tobe, S. S. & Pratt, G. E.) 107–113
Lucilia sericata, *see* Blowfly
Lung cells, gerbil, cultured, changes in the activity of transfer ribonucleic acid methylase during the transformation of, by adenovirus-12 *in vitro* (McFarlane, E. S.) 277–280
Lymphoblastoid cells, human, short-term radiorespirometry of, in suspension (Duncombe, W. G.) 487–496
Lysyl hydroxylase, activities of, and of other enzymes involved in the biosynthesis of collagen in rat liver after hepatic injury induced by the administration of carbon tetrachloride (Risteli, J. & Kivirikko, K. I.) 115–122
Lysyl hydroxylase, intracellular localization of prolyl hydroxylase and, in chick-embryo fibroblasts (Harwood, R., Grant, M. E. & Jackson, D. S.) 123–130

Malbranchae pulchella var. *sulfurea*, intracellular breakdown of protein in, and other fungi (Miller, H. M., Sullivan, P. A. & Shepherd, M. G.) 209–214
'Malic' enzyme (EC 1.1.1.40), liver, rat, alterations in the rate of biosynthesis of the enzyme in the regulation of the activity of (Murphy, G. & Walker, D. G.) 149–160
Maltase, acid, soluble, changes in the activities of soluble neutral maltase and, in rat small intestine during postnatal development and the effects of the administration of cortisol (Galand, G. & Forstner, G. G.) 281–292
Maltase, neutral, soluble, changes in the activities of soluble acid maltase and, in rat small intestine during postnatal development and the effects of the administration of cortisol (Galand, G. & Forstner, G. G.) 281–292
Mammary gland, rabbit, inhibition by progesterone of the lactogenic effect of prolactin on the secretion of milk by, during pseudopregnancy (Assairi, L., Delouis, C., Gaye, P., Houdebine, L.-M., Ollivier-Bousquet, M. & Denamur, R.) 245–252
Mammary gland, sheep and goat, lactating, perfused, metabolism of citrulline in (Roets, E., Verbeke, R., Massart-Leën, A.-M. & Peeters, G.) 435–446
Maple-syrup-urine disease, inhibition by branched-chain 2-oxo acids of the activity of the 2-oxoglutarate dehydrogenase complex in rat and human brain during postnatal development and its possible significance for human patients with (Patel, M. S.) 91–97
Membrane, plasma, *Escherichia coli*, antiport of protons and sodium ions across (West, I. C. & Mitchell, P.) 87–90

Membrane, surface, inverse effects of Sendai virus on transport and diffusion across, of Lettree cells (Pasternak, C. A. & Micklem, K. J.) 593–595
Membranes, *Escherichia coli* K12, energy-linked reduction of nicotinamide–adenine dinucleotide in, from normal and respiratory-deficient strains of the organism (Poole, R. K. & Haddock, B. A.) 77–85
Membranes, microsomal, liver, rat, comparative analysis of the effectiveness of self-assembly of microsomal membranes and of incorporation of electron carriers into microsomal-vesicle 'ghosts' for the reconstitution of the electron-transfer chains of (Archakov, A. I., Bachmanova, G. I., Devichensky, V. M., Karuzina, I. I., Zherebkova, N. S., Alimov, G. A., Kuznetsova, G. P. & Karyakin, A. V.) 1–9
Membranes, plasma, microvillus, small-intestinal, rat, premature induction by the administration of cortisol of the activities of digestive enzymes in, isolated during postnatal development (Galand, G. & Forstner, G. G.) 293–302
Messenger ribonucleic acid, *see* Ribonucleic acid, messenger
Methane, pathways for the assimilation of carbon in methane-utilizing bacteria during growth on (Strøm, T., Ferenci, T. & Quayle, J. R.) 465–476
Methionine, influence of the concentrations of, and other substrates on the biosynthesis of juvenile hormone by locust corpora allata *in vitro* (Tobe, S. S. & Pratt, G. E.) 107–113
Methylococcus capsulatus, pathways for the assimilation of carbon in, and other methane-utilizing bacteria during growth on methane (Strøm, T., Ferenci, T. & Quayle, J. R.) 465–476
Methylococcus capsulatus, purification and properties of 3-hexulose phosphate synthase and 3-hexulose phosphate isomerase from (Ferenci, T., Strøm, T. & Quayle, J. R.) 477–486
Methylosinus trichosporium, pathways for the assimilation of carbon in, and other methane-utilizing bacteria during growth on methane (Strøm, T., Ferenci, T. & Quayle, J. R.) 465–476
Mevalonate, biosynthesis of *trans,trans*- and *cis,trans*-farnesols from, by soluble enzymes from cultured *Andrographis paniculata* callus tissue (Overton, K. H. & Roberts, F. M.) 585–592
Microbodies, pumpkin and castor-bean, fractionation of proteins from (Brown, R. H., Lord, J. M. & Merrett, M. J.) 559–566
Microsomal fraction, liver, hamster, inhibitory effects of carbon monoxide on the *N*- and ring-hydroxylation of 2-acetamidofluorene by (Lotlikar, P. D. & Zaleski, K.) 427–430
Microsomal fraction, liver, rat, changes in the responsiveness to androgens of the activities towards 5α-androstane-3α,17β-diol of hydroxylases of, during postnatal development (Gustafsson, J.-Å.) 225–229
Microsomal fraction, liver, rat, comparative analysis of the effectiveness of self-assembly of microsomal membranes and of incorporation of electron carriers into microsomal-vesicle 'ghosts' for the reconstitution of the electron-transfer chains of (Archakov, A. I., Bachmanova, G. I., Devichensky, V. M., Karuzina, I. I., Zherebkova, N. S., Alimov, G. A., Kuznetsova, G. P. & Karyakin, A. V.) 1–9
Microsomal fraction, liver, rat, cyclic pathway for the metabolism of 3,5-di-t-butyl-4-hydroxytoluene by (Chen, C. & Shaw, Y.-S.) 497–501
Microsomal fractions, liver, rat, metabolic sequence by which 4,4-dimethyl sterols are converted into cholesterol by (Gibbons, G. F.) 59–69
Microsomal fractions, *Saccharomyces cerevisiae*, biosynthesis of phospholipids by, and mitochondria *in vitro* (Cobon, G. S., Crowfoot, P. D. & Linnane, A. W.) 265–275
Microvilli, small-intestinal, rat, premature induction by the administration of cortisol of the activities of digestive enzymes in plasma membranes isolated from, during postnatal development (Galand, G. & Forstner, G. G.) 293–302
Milk, inhibition by progesterone of the lactogenic effect of prolactin on the secretion of, by rabbit mammary gland during pseudopregnancy (Assairi, L., Delouis, C., Gaye, P., Houdebine, L.-M., Ollivier-Bousquet, M. & Denamur, R.) 245–252
Mitochondria, brain, rat and human, inhibition by branched-chain 2-oxo acids of the activity of the 2-oxoglutarate dehydrogenase complex in, during postnatal development (Patel, M. S.) 91–97
Mitochondria, differences in the products of the biosynthesis of protein *in vivo* by, in human and mouse cells and their potential use as markers for the mitochondrial genome in human–mouse somatic cell hybrids (Jeffreys, A. & Craig, I.) 161–164
Mitochondria, liver, guinea-pig, inhibition by phenethylbiguanide of the biosynthesis of phosphoenolpyruvate by (Ogata, K., Jomain-Baum, M. & Hanson, R. W.) 49–57
Mitochondria, liver, rat, inhibition by *p*-diazobenzenesulphonate of the transport of inorganic phosphate by (Dawson, A. P.) 597–599
Mitochondria, *Saccharomyces cerevisiae*, biosynthesis of phospholipids by, and microsomal fractions *in vitro* (Cobon, G. S., Crowfoot, P. D. & Linnane, A. W.) 265–275
Mitochondria, tumour-cell, isolated, calcium ion-induced respiratory activities in (Thorne, R. F. W. & Bygrave, F. L.) 551–558
Mono-*N*-acetylputrescine, identification of, as an intermediate in the catabolism of putrescine in rat and mouse brain (Seiler, N. & Al-Therib, M. J.) 29–35
Monogalactosyl diglyceride, enzymic degradation of digalactosyl diglyceride and, by a saline extract of sheep pancreas acetone-dried powder (Bajwa, S. S. & Sastry, P. S.) 177–187
Morris hepatomas, 5123C and 9618A, calcium ion-induced respiratory activities in mitochondria isolated from (Thorne, R. F. W. & Bygrave, F. L.) 551–558
Mucor miehei N.R.R.L. 3169, intracellular breakdown of protein in, and other fungi (Miller, H. M., Sullivan, P. A. & Shepherd, M. G.) 209–214
Musca domestica, *see* Housefly
Muscle, skeletal, distribution and metabolism of phenylalanine and tyrosine in liver and, during tularaemia in the rat (Powanda, M. C., Dinterman, R. E., Wannemacher, R. W., Jr. & Herbrandson, G. D.) 173–176
Muscle, skeletal, rat, effect of storage on the activities of various enzymes in, and other tissues (Cryer, A. & Bartley, W.) 433–434

1-Naphthol, identification of water-soluble metabolites of, in the housefly (Heenan, M. P. & Smith, J. N.) 303–310
1-Naphthyl *N*-methylcarbamate, identification of water-soluble metabolites of, in the housefly, blowfly and grass grub (Heenan, M. P. & Smith, J. N.) 303–310
Nephrectomy, unilateral, labelling of ribonucleic acids and nucleotide pools after the injection of [5-^{3}H]uridine during compensatory hypertrophy of mouse kidney after (Hill, J. M., AB, G. & Malt, R. A.) 447–453
Neutral maltase, *see* Maltase, neutral
New Zealand spinach (*Tetragonia expansa*) leaves, enzymic degradation of galactosyl diglycerides from, by a saline extract of sheep pancreas acetone-dried powder (Bajwa, S. S. & Sastry, P. S.) 177–187
Nicotinamide–adenine dinucleotide, oxidized, energy-linked reduction of, in membranes from normal and respiratory-deficient strains of *Escherichia coli* K12 (Poole, R. K. & Haddock, B. A.) 77–85
Nicotine, use of, as an inhibitor in the demonstration of alternative pathways for the biosynthesis of zeaxanthin, in *Flavobacterium* R1519 (McDermott, J. C. B., Brown D. J., Britton, G. & Goodwin, T. W.) 231–243
p-Nitrophenol, identification of water-soluble metabolites of, in the housefly (Heenan, M. P. & Smith, J. N.) 303–310
Noradrenaline, simulation of the metabolism of, and other biogenic amines in pig brain (Turner, A. J., Illingworth, J. A. & Tipton, K. F.) 353–360
Noradrenaline, steady-state kinetics of the transport of adrenaline and, by resealed ox adrenal-gland-medulla chromaffin-granule 'ghosts' (Phillips, J. H.) 319–325
Noradrenaline, transport of adrenaline and, by resealed ox adrenal-gland-medulla chromaffin-granule 'ghosts' (Phillips, J. H.) 311–318
Nuclei, intestinal, chick, localization of 1,25-dihydroxycholecalciferol in (Lawson, D. E. M. & Wilson, P. W.) 573–583
Nuclei, uterus, rabbit, uptake and retention of oestradiol-17β and the high-affinity binding sites of, in organ culture (Russell, S. L. & Thomas, G. H.) 99–106
Nucleotides, labelling of ribonucleic acids and, after the injection of [5-^{3}H]uridine during compensatory hypertrophy of mouse kidney after unilateral nephrectomy (Hill, J. M., AB, G. & Malt, R. A.) 447–453

Octopamine, simulation of the metabolism of, and other biogenic amines in pig brain (Turner, A. J., Illingworth, J. A. & Tipton, K. F.) 353–360
Oestradiol-17β, uptake and retention of, and the high-affinity binding sites in rabbit uterus in tissue culture (Russell, S. L. & Thomas, G. H.) 99–106
Oocytes, *Xenopus laevis*, effects of the injection of synthetic polyribonucleotides on the biosynthesis of protein in, and eggs (Woodland, H. & Ayers, S. E.) 11–19
Ornithine decarboxylase, induction of the activity of, and the hormonal control of the regeneration of rat liver after partial hepatectomy (Thrower, S. & Ord, M. G.) 361–369
2-Oxo acids, branched-chain, inhibition by, of the activity of the 2-oxoglutarate dehydrogenase complex in rat and human brain during postnatal development (Patel, M. S.) 91–97
2-Oxoglutarate dehydrogenase complex, brain, rat and human, inhibition by branched-chain 2-oxo acids of the activity of, during postnatal development (Patel, M. S.) 91–97

Pancreas, sheep, enzymic degradation of monogalactosyl diglyceride and digalactosyl diglyceride by a saline extract of acetone-dried powder of (Bajwa, S. S. & Sastry, P. S.) 177–187
Parotid gland, rat, role of calcium ions in the stimulation by adrenaline of the release of amylase from (Dormer, R. L. & Ashcroft, S. J. H.) 543–550
Pea (*Pisum sativum*) stems, enrichment of polyribosomes as an experimental artifact during the isolation of ribosomes from, by published methods (Leaver, C. J. & Dyer, J. A.) 165–167
Penicillium chrysogenum N.R.R.L. 811, intracellular breakdown of protein in, and other fungi (Miller, H. M., Sullivan, P. A. & Shepherd, M. G.) 209–214
Penicillium duponti A.T.C.C. 26229, intracellular breakdown of protein in, and other fungi (Miller, H. M., Sullivan, P. A. & Shepherd, M. G.) 209–214
Penicillium notatum N.R.R.L. 832, intracellular breakdown of protein in, and other fungi (Miller, H. M., Sullivan, P. A. & Shepherd, M. G.) 209–214
Peroxisomes, pumpkin, fractionation of proteins from, and glyoxysomes (Brown, R. H., Lord, J. M. & Merrett, M. J.) 559–566
Phaseolus vulgaris, *see* Bean
Phenethylbiguanide, inhibition by, of gluconeogenesis in guinea-pig liver (Ogata, K., Jomain-Baum, M. & Hanson, R. W.) 49–57
Phenylalanine, distribution and metabolism of tyrosine and, during tularaemia in the rat (Powanda, M. C., Dinterman, R. E., Wannemacher, R. W., Jr. & Herbrandson, G. D.) 173–176
Phosphate, inorganic, inhibition by *p*-diazobenzenesulphonate of the transport of, by rat liver mitochondria (Dawson, A. P.) 597–599
Phosphoenolpyruvate carboxykinase (guanosine triphosphate), biosynthesis of, by isolated rat liver polyribosomes (Ballard, F. J., Hopgood, M. F., Reshef, L., Tilghman, S. & Hanson, R. W.) 199–207
Phosphoenolpyruvate carboxykinase (guanosine triphosphate), relative stability of, and other rat liver cytosol enzymes incubated *in vitro* (Hopgood, M. F. & Ballard, F. J.) 371–376
Phosphoenolpyruvate, inhibition by phenethylbiguanide of the biosynthesis of, by guinea-pig liver mitochondria (Ogata, K., Jomain-Baum, M. & Hanson, R. W.) 49–57
Phospho-3-hexuloisomerase, *see* 3-Hexulose phosphate isomerase
Phospholipids, biosynthesis of, by *Saccharomyces cerevisiae* mitochondrial and microsomal fractions *in vitro* (Cobon, G. S., Crowfoot, P. D. & Linnane, A. W.) 265–275
Photosynthesis, development of plastocyanin and other components involved in, in greening bean leaves (Haslett, B. G. & Cammack, R.) 567–572
Phytanate, lipolysis and hydrogenation of galactolipids and the accumulation of, in sheep rumen (Dawson, R. M. C., Hemington, N., Grime, D., Lander, D. & Kemp, P.) 169–171

Pisum sativum, *see* Pea
Plasma membrane, *see* Membrane, plasma
Plastocyanin, development of, in greening bean leaves (Haslett, B. G. & Cammack, R.) 567–572
Platelets, human, effects of antimycin A and 2-deoxy-D-glucose on adenine nucleotides in relation to the role of metabolic adenosine triphosphate in primary aggregation, secondary aggregation and shape change of (Holmsen, H., Setkowsky, C. A. & Day, H. J.) 385–396
Polyamines, regulatory effects of, on the activity of membrane-bound acetylcholinesterase of human erythrocyte 'ghosts' (Kossorotow, A., Wolf, H. U. & Seiler, N.) 21–27
Polyinosinate, effect of, on the biosynthesis of phosphoenolpyruvate carboxykinase (guanosine triphosphate) by isolated rat liver polyribosomes (Ballard, F. J., Hopgood, M. F., Reshef, L., Tilghman, S. & Hanson, R. W.) 199–207
Polyribonucleotides, synthetic, effects of the injection of, on the biosynthesis of protein in *Xenopus laevis* oocytes and eggs (Woodland, H. & Ayers, S. E.) 11–19
Polyribosomes, enrichment of, as an experimental artifact during the isolation of ribosomes from pea stems by published methods (Leaver, C. J. & Dyer, J. A.) 165–167.
Polyribosomes, liver, rat, isolated, biosynthesis of phosphoenolpyruvate carboxykinase (guanosine triphosphate) by (Ballard, F. J., Hopgood, M. F., Reshef, L., Tilghman, S. & Hanson, R. W.) 199–207
Polysomes, *see* Polyribosomes
Pregnancy, pseudo-, inhibition by progesterone of the lactogenic effect of prolactin on the secretion of milk by rabbit mammary gland during (Assairi, L., Delouis, C., Gaye, P., Houdebine, L.-M., Ollivier-Bousquet, M. & Denamur, R) 245–252
Progesterone, inhibition by, of the lactogenic effect of prolactin on the secretion of milk by rabbit mammary gland during pseudopregnancy (Assairi, L., Delouis, C., Gaye, P., Houdebine, L.-M., Ollivier-Bousquet, M. & Denamur, R.) 245–252
Prolactin, inhibition by progesterone of the lactogenic effect of, on the secretion of milk by rabbit mammary gland during pseudopregnancy (Assairi, L., Delouis, C., Gaye, P., Houdebine, L.-M., Ollivier-Bousquet, M. & Denamur, R.) 245–252
Prolyl hydroxylase, activities of, and of other enzymes involved in the biosynthesis of collagen in rat liver after experimental hepatic injury induced by the administration of carbon tetrachloride (Risteli, J. & Kivirikko, K. I.) 115–122
Prolyl hydroxylase, intracellular localization of lysyl hydroxylase and, in chick-embryo fibroblasts (Harwood, R., Grant, M. E. & Jackson, D. S.) 123–130
Prostaglandin E_1, effects of, on the concentration of adenosine 3′:5′-cyclic monophosphate in young and senescent cultured human skin fibroblasts during growth and stationary phase *in vitro* (Haslam, R. J. & Goldstein, S.) 253–263
Prostate gland, dog, properties of adenosine 3′:5′-cyclic monophosphate-dependent protein kinase from (Tsang, B. K. & Singhal, R. L.) 377–383
Prostate gland, ventral, rat, specific stimulation by androgens of the biosynthesis of the messenger ribonucleic acid for fructose diphosphate aldolase in (Mainwaring, W. I. P., Mangan, F. R., Irving, R. A. & Jones, D. A.) 413–426
Protein, biosynthesis and breakdown of, in the mother-cell and forespore compartments during sporulation in *Bacillus megaterium* KM (Eaton, M. W. & Ellar, D. J.) 327–337
Protein, calcium-binding, correlation between the production of, and the absorption of calcium ions by chick small intestine in response to the administration of cholecalciferol (Emtage, J. S., Lawson, D. E. M. & Kodicek, E.) 339–346
Protein, concentrations of histamine in guinea-pig and rat brain in animals fed on a diet deficient in (Enwonwu, C. O. & Worthington, B. S.) 601–603
Protein, differences in the products of the mitochondrial biosynthesis of, *in vivo* in human and mouse cells and their potential use as markers for the mitochondrial genome in human–mouse somatic cell hybrids (Jeffreys, A. & Craig, I.) 161–164
Protein, effects of adrenocorticotrophin on the degradation of, in rat adrenal gland and liver (Canick, J. A. & Villee, D. B.) 397–402
Protein, effects of the injection of synthetic polyribonucleotides on the biosynthesis of, in *Xenopus laevis* oocytes and eggs (Woodland, H. & Ayers, S. E.) 11–19
Protein, intracellular breakdown of, in thermophilic and mesophilic fungi (Miller, H. M., Sullivan, P. A. & Shepherd, M. G.) 209–214
Protein kinase, adenosine 3′:5′-cyclic monophosphate-dependent, properties of, from dog prostate gland (Tsang, B. K. & Singhal, R. L.) 377–383
Protein, preparation and analysis of a *Saccharomyces cerevisiae* cell-free system with high activity for the biosynthesis of, *in vitro* (Sissons, C. H.) 131–140
Proteins, fractionation of, isolated from pumpkin glyoxysomes and peroxisomes and from castor-bean glyoxysomes (Brown, R. H., Lord, J. M. & Merrett, M. J.) 559–566
Proteins, receptor, 1,25-dihydroxycholecalciferol, intestinal, chick, properties of (Lawson, D. E. M. & Wilson, P. W.) 573–583
Protocollagen lysyl hydroxylase, *see* Lysyl hydroxylase
Protocollagen prolyl hydroxylase, *see* Prolyl hydroxylase
Protons, antiport of sodium ions and, in *Escherichia coli* (West, I. C. & Mitchell, P.) 87–90
Pseudomonas methanica, pathways for the assimilation of carbon in, and other methane-utilizing bacteria during growth on methane (Strøm, T., Ferenci, T. & Quayle, J. R.) 465–467
Pseudopregnancy, inhibition by progesterone of the lactogenic effect of prolactin on the secretion of milk by rabbit mammary gland during (Assairi, L., Delouis, C., Gaye, P., Houdebine, L.-M., Ollivier-Bousquet, M. & Denamur, R.) 245–252
Pullulanase, biosynthesis of amylomaltase, α-glucosidase and, in various strains of *Klebsiella aerogenes* growing in continuous culture (Hope, G. C. & Dean, A. C. R.) 403–411
Pumpkin (*Cucurbita pepo*), fractionation of the proteins of glyoxysomes and peroxisomes isolated from (Brown, R. H., Lord, J. M. & Merrett, M. J.) 559–566

Putrescine, catabolism of, in rat and mouse brain (Seiler, N. & Al-Therib, M. J.) 29–35
Putrescine, regulatory effects of, and other polyamines on the activity of membrane-bound acetylcholinesterase of human erythrocyte 'ghosts' (Kossorotow, A., Wolf, H. U. & Seiler, N.) 21–27

Quercetin, incorporation of acetate into, by chloroplasts isolated from buckwheat seedlings (Saito, K.) 431–432

Radiorespirometry, short-term, of various cells in suspension (Duncombe, W. G.) 487–496
Red blood cells, *see* Erythrocytes
Redox chains, microsomal, liver, rat, comparative analysis of the effectiveness of self-assembly of microsomal membranes and of incorporation of electron carriers into microsomal-vesicle 'ghosts' for the reconstitution of (Archakov, A. I., Bachmanova, G. I., Devichensky, V. M., Karuzina, I. I., Zherebkoya, N. S., Alimov, G. A., Kuznetsova, G. P. & Karyakin, A. V.) 1–9
Respiratory activities, calcium ion-induced, in mitochondria isolated from various tumour cells (Thorne, R. F. W. & Bygrave, F. L.) 551–558
Respiratory chain, changes in the activities of components of, during the cell-cycle of *Schizosaccharomyces pombe* 972h⁻ growing in the presence of glycerol (Poole, R. K. & Lloyd, D.) 141–148
Respiratory chain, energy-linked reduction of nicotinamide–adenine dinucleotide in membranes from normal *Escherichia coli* K12 and from strains deficient in (Poole, R. K. & Haddock, B. A.) 77–85
Ribonucleic acid, messenger, demonstration that early changes in the concentration of, in amino acid-starved cells of *Escherichia coli* are not dependent on the state of the *rel* gene (Midgley, J. E. M. & Smith, R. J.) 605–606
Ribonucleic acid, messenger, specific stimulation by androgens of the biosynthesis of, for fructose diphosphate aldolase in rat ventral prostate gland (Mainwaring, W. I. P., Mangan, F. R., Irving, R. A. & Jones, D. A.) 413–426
Ribonucleic acid (transfer) methylase, changes in the activity of, during the transformation of cultured mammalian cells by adenovirus-12 *in vitro* (McFarlane, E.S.) 277–280
Ribonucleic acids, labelling of nucleotides and, after the injection of [5-^{3}H]uridine during compensatory hypertrophy of mouse kidney after unilateral nephrectomy (Hill, J. M., AB, G. & Malt, R. A.) 447–453
Ribosomes, enrichment of polyribosomes as an experimental artifact during the isolation of, from pea stems by published methods (Leaver, C. J. & Dyer, J. A.) 165–167
Ribulose monophosphate cycle, role of, in the fixation of formaldehyde in methane-utilizing bacteria (Strøm, T., Ferenci, T. & Quayle, J. R.) 465–476
Ricinus communis, *see* Castor bean
Rumen, sheep, lipolysis and hydrogenation of galactolipids and the accumulation of phytanate in (Dawson, R. M. C., Hemington, N., Grime, D., Lander, D. & Kemp, P.) 169–171

Saccharomyces cerevisiae, biosynthesis of phospholipids by mitochondrial and microsomal fractions from, *in vitro* (Cobon, G. S., Crowfoot, P. D. & Linnane, A. W.) 265–275
Saccharomyces cerevisiae, preparation and analysis of a cell-free system from, with high activity for the biosynthesis of protein *in vitro* (Sissons, C. H.) 131–140
Salivary gland, parotid, rat, role of calcium ions in the stimulation by adrenaline of the release of amylase from (Dormer, R. L. & Ashcroft, S. J. H.) 543–550
Schistocerca gregaria, *see* Locust
Schizosaccharomyces pombe 972h⁻, changes in the activities of components of the respiratory chain during the cell-cycle of, growing in the presence of glycerol (Poole, R. K. & Lloyd, D.) 141–148
Sendai virus, inverse effects of, on transport and diffusion across the surface membrane of Lettree cells (Pasternak, C. A. & Micklem, K. J.) 593–595
L-Serine dehydratase, regulation of the activities of L-serine–pyruvate aminotransferase and, in rat liver during neonatal development (Snell, K. & Walker, D. G.) 519–531
L-Serine dehydratase, relative stability of, and other rat liver cytosol enzymes incubated *in vitro* (Hopgood, M. F. & Ballard, F. J.) 371–376
L-Serine–pyruvate aminotransferase, regulation of the activities of L-serine dehydratase and, in rat liver during neonatal development (Snell, K. & Walker, D. G.) 519–531
Serotonin, *see* 5-Hydroxytryptamine
Serum albumin, *see* Albumin, serum
Skeletal muscle, *see* Muscle, skeletal
Skin fibroblasts, human, cultured, young and senescent, effects of prostaglandin E_1 and adrenaline on the concentration of adenosine 3′:5′-cyclic monophosphate in, during growth and stationary phase *in vitro* (Haslam, R. J. & Goldstein, S.) 253–263
Small intestine, *see* Intestine, small
Sodium chloride, nature and properties of the inducible sodium-plus-potassium ion-dependent adenosine triphosphatase in the gills of eels adapted to fresh water and to sea water and their relevance to the transepithelial transport of (Sargent, J. R. & Thomson, A. J.) 69–75
Somatotrophin, *see* Growth hormone
Spermidine, regulatory effects of, and other polyamines on the activity of membrane-bound acetylcholinesterase of human erythrocyte 'ghosts' (Kossorotow, A., Wolf, H. U. & Seiler, N.) 21–27
Spermine, regulatory effects of, and other polyamines on the activity of membrane-bound acetylcholinesterase of human erythrocyte 'ghosts' (Kossorotow, A., Wolf, H. U. & Seiler, N.) 21–27
Sporulation, biosynthesis and breakdown of protein in the mother-cell and forespore compartments during, in *Bacillus megaterum* KM (Eaton, M. W. & Ellar, D. J.) 327–337
Sporulation, biosynthesis of granulose and its role in, in *Clostridium pasteurianum* A.T.C.C. 6013 (Robson, R. L., Robson, R. M. & Morris, J. G.) 503–511
Sporulation, mobilization of granulose and its role in, in *Clostridium pasteurianum* A.T.C.C. 6013 (Robson, R. L. & Morris, J. G.) 513–517

Steroids, androgenic, changes in the responsiveness to, of the activities towards 5α-androstane-3α,17β-diol of rat liver microsomal hydroxylases during postnatal development (Gustafsson, J.-Å.) 225–229
Steroids, androgenic, specific stimulation by, of the biosynthesis of the messenger ribonucleic acid for fructose diphosphate aldolase in rat ventral prostate gland (Mainwaring, W. I. P., Mangan, F. R., Irving, R. A. & Jones, D. A.) 413–426
Sterols, 4,4-dimethyl, metabolic sequence by which, are converted into cholesterol by rat liver microsomal fractions (Gibbons, G. F.) 59–69
Supernatant fraction, *see* Cytosol

Testis, boar, metabolism of 5α-androst-16-en-3-one in, *in vivo* (Saat, Y. A., Gower, D. B., Harrison, F. A. & Heap, R. B.) 347–352
Testosterone, changes in the responsiveness to, of the activities towards 5α-androstane-3α,17β-diol of rat liver microsomal hydroxylases during postnatal development (Gustafsson, J.-Å.) 225–229
Testosterone, specific stimulation by, of the biosynthesis of the messenger ribonucleic acid for fructose diphosphate aldolase in rat ventral prostate gland (Mainwaring, W. I. P., Mangan, F. R., Irving, R. A. & Jones, D. A.) 413–426
Tetragonia expansa, *see* New Zealand spinach
Threonine dehydratase, inducibility and properties of, of sheep liver (Doonan, S., Koerner, D. H., Schmutzler, W. & Vernon, C. A.) 533–541
Thymidine kinase, relative stability of, and other rat liver cytosol enzymes incubated *in vitro* (Hopgood, M. F. & Ballard, F. J.) 371–376
Transfer ribonucleic acid, *see* Ribonucleic acid, transfer
Transferrin, biosynthesis of serum albumin and, during foetal and perinatal development in the rat (Yeoh, G. C. T. & Morgan, E. H.) 215–224
Tularaemia, distribution and metabolism of phenylalanine and tyrosine during, in the rat (Powanda, M. C., Dinterman, R. E., Wannemacher, R. W., Jr. & Herbrandson, G. D.) 173–176
Tumour cells, various, calcium ion-induced respiratory activities in mitochondria isolated from (Thorne, R. F. W. & Bygrave, F. L.) 551–558
Tyrosine aminotransferase, relative stability of, and other rat liver cytosol enzymes incubated *in vitro* (Hopgood, M. F. & Ballard, F. J.) 371–376
Tyrosine, distribution and metabolism of phenylalanine and, during tularaemia in the rat (Powanda, M. C., Dinterman, R. E., Wannemacher, R. W., Jr. & Herbrandson, G. D.) 173–176
Urate, biosynthesis of, in perfused chick liver (Barratt, E., Buttery, P. J. & Boorman, K. N.) 189–198
[5-^{3}H]Uridine, labelling of ribonucleic acids and nucleotide pools after the injection of, during compensatory hypertrophy of mouse kidney after unilateral nephrectomy (Hill, J. M., AB, G. & Malt, R. A.) 447–453
Urine, identification of metabolites of 5α-androst-16-en-3-one in, in the boar (Saat, Y. A., Gower, D. B., Harrison, F. A. & Heap, R. B.) 347–352
Uterus, rabbit, uptake and retention of oestradiol-17β and the high-affinity binding sites in, in organ culture (Russell, S. L. & Thomas, G. H.) 99–106

Virus, adeno-, *see* Adenovirus
Virus, Sendai, *see* Sendai virus
Vitamin D, correlation between the production of calcium-binding protein and the absorption of calcium ions by chick small intestine in response to the administration of cholecalciferol to animals deficient in (Emtage, J. S., Lawson, D. E. M. & Kodicek, E.) 339–346
Vitamin D_3, *see* Cholecalciferol

Xenopus laevis, effects of the injection of synthetic polyribonucleotides on the biosynthesis of protein in oocytes and eggs of (Woodland, H. & Ayers, S. E.) 11–19

Yeast, baker's, short-term radiorespirometry of, in suspension (Duncombe, W. G.) 487–496
Yeast (*Saccharomyces cerevisiae*), biosynthesis of phospholipids by mitochondrial and microsomal fractions from, *in vitro* (Cobon, G. S., Crowfoot, P. D. & Linnane, A. W.) 265–275
Yeast (*Saccharomyces cerevisiae*), preparation and analysis of a cell-free system from, with high activity for the biosynthesis of protein *in vitro* (Sissons, C. H.) 131–140
Yeast (*Schizosaccharomyces pombe* 972h$^-$), changes in the activities of components of the respiratory chain during the cell-cycle of, growing in the presence of glycerol (Poole, R. K. & Lloyd, D.) 141–148
Yoshida ascites hepatoma, HA 130, calcium ion-induced respiratory activities in mitochondria isolated from (Thorne, R. F. W. & Bygrave, F. L.) 551–558

Zeaxanthin, use of nicotine as an inhibitor in the demonstration of alternative pathways for the biosynthesis of, in *Flavobacterium* R1519 (McDermott, J. C. B., Brown, D. J., Britton, G. & Goodwin, T. W.) 231–243